

DECLARATION OF PERFORMANCE

No. DoP 1

1. Unique identification code of the product type:

Paper wallpaper with a basis weight of 120 - 160 g/m²

2. Intended purpose:

Surface design of walls and ceilings with wallpaper, borders

3. Manufacturer:

A.S. Création Tapeten AG, Südstr. 47, D-51645 Gummersbach

- 4. Authorised representative: not relevant for wallpaper
- 5. 5. System for assessment and evaluation of performance constancy: System 3
- 6. Harmonised standard:

DIN EN 15102:2007 + A1: 2011

The fire behaviour of the wallpaper is checked by the notified body Efectis, 149, route du Marc, 38630 LES AVENIERES VEYRINS-THUELLIN in accordance with EN 13501-1 (Identification No.: 1812)

Formaldehyde emissions, heavy metals and vinyl chloride monomer (VCM), are regularly checked by the Fraunhofer Institute for Wood Research (WKI) in Braunschweig in accordance with EN 12149: 1997 (Identification No.: 0765)

5. Declared Performance

Essential Features	Performance	Harmonised Technical Specification
Fire behaviour	B-s1,d0	EN 13501-1
Formaldehyde emission	Passed (< 120 mg/kg)	EN 12149:1997
Emission of other dangerous substances:		
Antimony	Passed (no upper limit)	EN 12149:1997
Arsenic	Passed (< 25 mg/kg)	
Barium	Passed (< 500 mg/kg)	
Cadmium	Passed (< 25 mg/kg)	
Chromium	Passed (< 60 mg/kg)	
Lead	Passed (< 90 mg/kg)	
Mercury	Passed (< 20 mg/kg)	
Selenium	Passed (< 165 mg/kg)	
Vinyl chloride monomer (VCM	Passed (< 0.2 mg/kg)	EN 12149:1997
Sound absorption	No performance determined	
Thermal resistance	No performance determined	

Date: 15/06/2018



The performance of the above product corresponds to the declared performance. The above-named manufacturer is solely responsible for preparation of the declaration of performance in accordance with Regulation (EU) no. 305/2011.

Signed for and on behalf of the manufacturer by:

Gummersbach, 15/06/2018

Wolfgang Braun (Head of Quality Management)

Other information:

RAL Quality Specifications GZ- 479	Gütezeichen RAL	RAL GZ-479	
VOC Emissions (French standards)	TAPETEN EMISSIONS DANS LAR INTERICUE-	ISO 16000	

Date: 15/06/2018